



THE ORIGINAL

Spray paint for
repair & tuning



PRODUCT
CATALOGUE

Auto-K. The Original.

The classic product in the spray paint can

As the “paint shop in a can”, the traditional Auto-K brand, has enjoyed a leading market position for many years.

As a pioneer in this segment, Peter Kwasny brought the idea and the required know-how in the fifties from the USA to Germany and experienced a trend-setting market entry in 1966 with the Auto-K Spray-Set, which influenced the future of the spray paint industry significantly. This success story still continues with the consistent further development of the technology, innovative product developments and the expansion of the Auto-K product range.

Today, the original Auto-K products offer the possibility for a fast, cost optimised and colour accurate paint repair, starting with the preparation products such as putty, sand paper and adhesive tape through original colours as spray paint or touch-up pencil up to many special and effect paints.

The catalogue includes additional assortments and premium brands by Kwasny such as the professional spray paint system SprayMax or the many approximate colours from the Multona colour world.

Variety around the subject automotive paint:



ORIGINAL

Original car colours in an easy to use Spray-Set or as a touch-up pencil

BASIC

High-class primers for the ideal preparation before application of the topcoat

UNIVERSAL

Universally applicable car spray paints in the most commonly used colours

SPECIAL

Special applications for the car, such as exhaust, engine, rims, plastics

EFFECT

Great effects in chrome or neon. For limitless colour tuning

TUNING

Liquid Gum – The peel-off sprayable film with a grip effect



Table of contents

Painting tips	4	Auto-K original colours	30
Products for paint preparation		This is how you find the right colour	32
Cleaning and derusting	6	Digital searching made easy	33
Repairing	8	SprayTEC Technical aerosols	34
Filling	10	SprayTEC underbody coating	35
Sanding	12	Racing	36
Basic – Reliable primers	14	Spraila	37
Universal – Standard/Fast moving colours	18	Practical accessories	38
Special – Special applications	20	Marketing support	39
Effect – Effect paints	24	More brands – more options	40
Tuning – sprayable film	26	Spray paints from our in-house production	42



Colours in pictures
are not colour binding
They can deviate for
technical print reasons.




Painting tips




Preparation

The surface to be painted should be thoroughly prepared before the spray can is used. Please pay attention to the respective directions for the different paint preparation products.




Work environment

Surfaces must be dry, dust- and fat-free. The ideal work temperature is between 20 °C and 25 °C. Avoid direct sunlight. Only paint outside or in well ventilated areas.




Shake can well

For the optimal distribution of the paint pigments, shake the can at least 2 minutes while it is clearly audible that the mixing balls hit the walls of the can.



Spray distance

Hold the can as vertical as possible and ensure a distance of approx. 25 cm, i.e. 3 handsizes. Spray on a metal test sheet first and check the colour result.



Spray process

Start with the spraying outside the painting surface and apply several thin layers evenly in a "cross coat". Cross coat describes the spraying of a horizontal and a subsequent vertical layer. Between the cross coats, wait for 2 to 3 minutes.



Cleaning the valve

After use, turn the can upside down and spray until valve is empty to prevent clogging.

Painting preparation



The good basis for a successful paint repair is a good preparation. Auto-K provides the most important products for all work processes. Please consider our suggestions - for a successful repair and a perfect painting result with Auto-K. Use Auto-K to remove scratches, stone-chipping damages, dents or corrosion.

Depending on the damage situation, please consider the following work steps:

- | | |
|-------------|-------------|
| ■ Cleaning | ■ Priming |
| ■ Derusting | ■ Sanding |
| ■ Masking | ■ Painting |
| ■ Filling | ■ Polishing |



Cleaning

Please ensure a clean work surface and, if required, clean the surface between the work steps. The surface to be painted must be clean, dry, free of dust and grease.



Derusting

Clean the damaged area thoroughly and mask the surrounding parts carefully. The rust eraser qualifies for smaller areas. Our repair products help in case of larger damages and corrosion.

Rust eraser set



- Brass brush for perfect derusting
- Includes also the Auto-K protection clear lacquer to protect against rust until the damaged area can be repaired with the original colour

	Art. No.
Rust eraser set	746 003

Masking adhesive tape



- Masking adhesive tape with 19 mm width is suitable for mask roundings such as car wings or rims
- Masking adhesive tape in 30 mm is universally suitable for flat surfaces

	Art. No.
19 mm/50 m	746 037
30 mm/50 m	746 038

Polishing paste



- For the cleaning and polishing of severely contaminated metal surfaces
- Ideal for the removal of spray mist
- Applicable where conventional paint cleaners fail

	Art. No.
75 ml	745 130

Painting preparation



Repairing

The Auto-K repair products are optimally designed to meet the requirements of private small damage repairs. The different products support the removal and the bridging of perforation corruptions, cracks, holes or cavities.

In addition to car bodies, Auto-K repair products can also be used for the repair of damages at caravans, boats, containers and similar items.

Glass fibre fabric



- Easily shapeable and attachable
- Ideal for the modelling of existing forms

	Art. No.
0.5 m ²	745 314

Glass fibre mat



- Especial dense and solid material with a high resistibility
- Can also be used for large area damages
- Outstanding for repairs at parts subject to vibrations (e.g. car wings)

	Art. No.
0.5 m ²	745 316

Glass fibre fleece



- Ideal for the coating of the outside of the metal sheet when repairing perforation corrosions, cracks, holes and cavities

	Art. No.
0.5 m ²	745 318

Polyester repair resin



- For the processing of glass fibre materials
- For small and large damages
- Can be used for cars, caravans, boats, surfboards, gutters or pipes

	Art. No.
250 g	745 313
1000 g	745 320

Polyester repair set



- Consisting of polyester repair resin, incl. hardener, glass fibre mat and plastics cover to mix resin and hardener.
- Universally applicable

	Art. No.
250 g	745 311
500 g	745 312
1000 g	745 310

Hardener



- Important when using repair resin and 2K putty, please mix using the listed ratio. This is the only way that the required dry through of repair resin and putty is possible.

	Art. No.
40 g	745 201

Painting preparation




Filling

Smaller irregularities on the surface to be painted can be easily equalised with Auto-K putty products. The following Auto-K products make it easy even for the inexperienced user to use the putty materials successfully. In addition to the proven Auto-K quality, the products stand out for their high level of user friendliness.

Included in all two component putty products are one hardener tube, one putty tool as well as a plastics cover, which can be used as a mixing cup.


Putty knife set



- The right knife size (4 blades of 5 cm to 12 cm) for each damage area
- Flexible knife sizes made of rust-proof metal or plastic

	Art. No.
Metal	746 040
Plastic	746 041


Combi putty



- Very well for smoothing small irregularities and to close pores in hardened polyester putty layers
- Easy applicability and good sandability

	Art. No.
100 g	745 100
200 g	745 507

Fill putty



- To equalise and fill irregularities in the paint coat
- Can also be used as a filler over glass fibre putty
- Suitable for metal, rock, concrete, plastics, ceramics and wood

	Art. No.
250 g	745 110
1000 g	745 120
2000 g (without hardener)	745 121

Glass fibre putty



- Highly effective mixture of polyester resin and glass fibres
- High tear and break stability after hardening
- For metal cracks and point size perforation corrossions

	Art. No.
250 g	745 123
500 g	745 122
1000 g	745 124


Elastic fill putty



- Mixed with metal powder
- Ideal for metal and plastic parts under vibration such as car wings or doors
- Can also be used for dry rock, plastic, ceramics or concrete

	Art. No.
250 g	745 127
500 g	745 128
1000 g	745 129

Universal putty



- For the smoothing of dents and recessions at metal, aluminium or plastic body parts (bumpers) or galvanised carbodies
- Universally applicable

	Art. No.
250 g	745 136
500 g	745 137
1000 g	745 138

Fine putty



- For smooth surfaces without pores made from plastics, metal or ceramics
- Adheres well on roughened, dry surfaces
- Can also be used as a filler over glass fibre putty

	Art. No.
250 g	745 140
500 g	745 141
1000 g	745 142

Painting preparation



Sanding

With the Auto-K sanding paper rust is removed, paint residues are sanded down and the dried through putty mass is sanded smooth. Residues of sanding dust can be removed with a soft cloth.


The large Auto-K sanding paper assortment offers the right grit for any need. The units include 5 sheets each.

Grits and use

Dry sanding	
P 40	For removal of thick rust and paint layers
P 60	For preparation of unfinished surfaces
P 80	For equalisation of strong irregularities
P 120	For sanding before priming or etching
P 180	For first sanding after priming

Wet sanding	
P 240	For first wet sanding after priming
P 400	For smooth sanding of primed surfaces
P 600	For fine sanding before painting
P 1000	For final fine sanding before painting
P 1200	For final fine sanding before painting

Sanding sponge



- For sanding of areas that can only be accessed with difficulties
- Can be used wet and dry
- Can be washed and reused

	Art. No.
Sanding sponge	746 043

Sanding block



- The rubber sanding block eases the work at flat and curved surfaces
- The arresting of the sanding paper prevents sliding and ripping

	Art. No.
Sanding block	746 036

Wet sanding paper



- For metal and plastics
- 115 x 280 mm

	Art. No.
P 240	746 025
P 400	746 026
P 600	746 027
Sorted	746 028
(2 x P 240, 2 x P 400, 1 x P 600)	

Wet sanding paper



- For metal and plastics
- 230 x 280 mm

	Art. No.
P 240	746 021
P 400	746 022
P 600	746 023
P 1000	746 011
P 1200	746 012
Sorted	746 024
(2 x P 240, 2 x P 400, 1 x P 600)	

Dry sanding paper



- For wood, metal and plastics
- 115 x 280 mm

	Art. No.
P 40	746 030
P 60	746 031
P 80	746 032
P 120	746 033
P 180	746 034
Sorted	746 029
(2 x P 80, 2 x P 120, 1 x P 180)	

Dry sanding paper



- For wood, metal and plastics
- 230 x 280 mm

	Art. No.
P 40	746 015
P 60	746 016
P 80	746 017
P 120	746 018
P 180	746 019
Sorted	746 020
(2 x P 80, 2 x P 120, 1 x P 180)	



Reliable primers

A good base

The Auto-K BASIC product line includes reliable primers as a perfect base for the subsequent topcoat. The wide-ranging spray paint assortment includes Anti-corrosion primers, fillers, spray fillers, plastics adhesion promoting agents and special primers such as zinc rich primer and zinc-alu-

sprays. The assortment is completed by a protective clear coat complementary to the BASIC products.

Before starting the work, please note our painting tips on page 4 as well as the application information on the can.

Anti-Corrosion primer

Auto-K Anti-corrosion primer is a highly active rust protection based on zinc phosphate, which protects metallic parts effectively. The chromate-free primer with corrosion protection pigments adheres well and enables a smooth painting. Ideally used as the first layer on the paint system. The product is outstandingly qualified for the use on blank, sanded metal sheets, sanded aluminium as well as hardened and sanded paintings.

Subsequent spot welding is possible. The corrosion protection remains intact.



red brown beige

9 ml	433 058	
150 ml	033 058	
400 ml	233 058	233 071
500 ml	633 058	

Spray filler

Ideal for the filling or equalisation of irregularities or for the repair of scratches and scars without a large expenditure of time. The spray filler protects against corrosion, adheres well and provides a smooth substrate to guarantee an even coating.



grey

150 ml	033 032	
400 ml	233 032	

Filler primer

The product primes and fills in one work step, can be used universally and can be easily sanded. Pores and fine sanding grooves will be equalised due to the high solids content and a closed, smooth surface will be achieved. The subsequent sanding with fine sanding paper provides an even surface, which is required for a successful topcoat.




grey red

9 ml	433 001	
150 ml	033 001	033 002
400 ml	233 001	233 002
500 ml	633 001	

Plastics adhesion primer

The Auto-K Plastic adhesion primer improves the adhesion of the subsequent paint layer on plastic surfaces, e.g. spoilers, plastic exterior mirrors and bumpers.



transparent

150 ml	033 055
400 ml	233 055

Aluminium primer

The Auto-K Aluminium primer is especially qualified for all aluminium substrates and provides an outstanding adhesion.



grey

400 ml	233 060
--------	---------

Zinc rich primer

The Auto-K Zinc rich primer is a highly effective, metallic rust protection primer on zinc basis. The high zinc content seals long-term and guarantees a high corrosion protection, even for temperatures above 400°C. The product is especially suitable for all car parts that must not be painted, e.g. exhaust systems, welding seams, galvanised parts and the inner side of the car body.



grey

150 ml	033 054
400 ml	233 054

Zinc-alu-spray

The Auto-K Zinc-alu-spray is especially suited as a corrosion protection for parts subjected to water and weather, for the repair work of damaged zinc surfaces and for the coating of internal metal sheet edges during spot welding. The product can be used for heating systems, pipelines, steel structures, radiators, hand rails, crash barriers, etc.




silver grey

400 ml	233 057
--------	---------

Protection clear lacquer

The Auto-K Protection clear lacquer is a high-grade, transparent special combination paint, which offers gloss and surface sealing. Almost all sheet metal, metal and plastics objects can be successfully protected against corrosion, stone chips and dirt. Available with glossy and satin gloss effects.



gloss




satin gloss

150 ml	033 017	
400 ml	233 017	233 018
500 ml	633 017	

2-coat clear lacquer

Auto-K 2-coat clear lacquer is especially complementary to the 2 layer basecoats from the Auto-K Spray-Set product range (see page 31).



gloss

9 ml	433 066
150 ml	033 066
400 ml	233 066



Standard and Fast moving colours

For a variety of applications

The Auto-K UNIVERSAL product line includes fast drying special combinations paints in standard colours. This can beautify sheet metal, metal and plastics objects without a significant expenditure of time. Auto-K car paint sprays are universally applicable and are available in the most common

colours of the automotive sector. They stand out for their good leveling properties and their high yield.

Before starting the work, please note our painting tips on page 4 as well as the application information on the can.

Auto-K Spray paint for cars

The ideal product for a fast, cost optimised and colour matching paint repair with the spray paint can.

Auto-K Spray paint for cars is available in the most common and fast moving colours, such as black matt or white gloss.

The fast drying product convinces through its easy handling and its universal usability with respect to the substrates (metal, steel metal sheet, plastics, etc.) as well as the application variety.

Also qualified for non-automotive applications such as decorative paintings.



black
gloss




black
satin gloss




black
matt

9 ml	433 005		433 021
150 ml	033 005	033 061	033 021
400 ml	233 005	233 061	233 021
500 ml	633 005		633 021



white
gloss




white
matt



RAL 1015
light ivory


9 ml	433 004	433 040	433 033
150 ml	033 004	033 040	
400 ml	233 004	233 040	
500 ml	633 004		



galenite grey
satin matt
MB 7129



nova grey
MB 7350



RAL 6031
nato-olive
matt

400 ml	233 008	233 011	233 023
---------------	---------	---------	---------



Clean solutions

For the very special cases

Auto-K SPECIAL is the spray paint program for very special applications such as heat resistant spray paints, products for the plastics, rims, aluminium, brake calliper areas as well as transparent special products in form of sprays and associated removers.

Before starting the work, please note our painting tips on page 4 as well as the application information on the can.

Heat-resistant paint 300°C

The heat-resistant special paint for a temperature range of 80 to 300°C. This can beautify parts that are significantly more challenged by temperatures, i.e. in the engine area, parts of the exhaust system or at the air cooler, etc. The paint only hardens by slowly heating the painted object.



black red Clearcoat

150 ml	033 051		
400 ml	233 051	233 047	233 048

Heat-resistant paint 650°C

The heat resistant special coating is qualified for parts that are especially challenged by temperature. Applicable in the engine area, the exhaust system, at two wheelers, grills, stove pipes and everywhere where temperatures of up to 650°C are experienced. The paint only hardens by slowly heating above 250°C.



silver black white

150 ml	033 030	033 041	
400 ml	233 030	233 041	233 042



blue

400 ml	233 070
--------	---------

Exhaust spray

Auto-K exhaust spray is a heat resistant special paint for exhaust systems. It can be used to beautify parts at the entire exhaust system for cars and two wheelers that are very strongly temperature challenged. The paint only hardens at temperatures above 250°C. Heat slowly!



silver 800°C black 650°C

400 ml	233 098	233 099
--------	---------	---------

Wheel spray

The abrasion-proof blended nitro-cellulose lacquer with especially high coating capability is resistant, permanent car wash resistant and offers long term protection against stone chips and road salt. Auto-K wheel sprays are used to beautify rims without expenditure of time and to protect them against corrosion. Especially qualified to protect aluminium rims.



crystal silver titan silver gold

9 ml	433 037		
150 ml	033 037		033 038
400 ml	233 037	233 045	233 038
500 ml	633 037		633 038



white Protective Clearcoat


150 ml		033 053
400 ml		233 053
500 ml	633 046	633 053

Spray for plastics

Auto-K Spray for plastics is a fast drying special paint for plastics parts. It can be used to beautify parts made from hard plastics, polyester and polycarbonate located at the car. Applicable to plastic bumpers, outside mirrors, spoilers, etc. The Auto-K plastic adhesion primer is the ideal primer.


Please note before use:

It is mandatory to check all plastics for compatibility. Do not use on soluble plastics. Only for solvent resistant materials.



white grey anthracite

400 ml	233 094	233 095	233 096
--------	---------	---------	---------



black Renault 205139 pierre à fusil Peugeot FZL gris foncé

400 ml	233 097	233 101	233 102
--------	---------	---------	---------

Brake caliper paint

For colour effects in the visible brake area. Brake caliper and other parts become visible with high-contrast through the rims. The spray is easily and quickly applicable and provides a special race sport look.



red yellow blue

400 ml	233 074	233 075	233 076
--------	---------	---------	---------



black silver

400 ml	233 077	233 078
--------	---------	---------

Aluminium-Spray

The Auto-K Aluminium-Spray can be used universally, it is heat resistant up to 650°C and it is fast drying. The spray protects against corrosion, it is weather and abrasion resistant. It is ideally qualified for the surface refinement of metallic objects.



silver

400 ml	233 065
--------	---------


Transparent-Spray

Auto-K Transparent-Spray is a transparent special product for the re-colouring of front, rear and side lamps, wind deflectors, glass panes, metal and wood objects, lamps, ceramics, etc.


Not permitted in the StVZO area!



red



blue




black

150 ml	033 115	033 116	033 117
400 ml	233 115		233 117



orange



chrome

150 ml	033 118	033 119
--------	---------	---------

Transparent-Remover

Auto-K Transparent-Remover is a hightech Remover for the effective removal of Transparent-Sprays on lamps, glass, metal, ceramics, etc.

Please note before use:

It is mandatory to check all plastics for compatibility. Do not use on soluble plastics. Only suitable for solvent resistant materials.



colourless

150 ml	033 120
--------	---------



Fascinating effects

The eye-catching colour joy

Auto-K EFFECT, the product line for around the car - easily available in a spray paint can. Also especially suitable for decorative objects made from metal, sheet metal or plastics. The Auto-K EFFECT assortment includes effect sprays and colours in neon, chrome, gold, copper and brilliant metallic.

Before starting the work, please note our painting tips on page 4 as well as the application information on the can.

Neon spray paint

Auto-K Neon spray paint is a fluorescent and fast drying paint. It can paint sheet metal, metal and plastic objects in a flashy way. The Auto-K Neon spray paint has a warning and signal effect due to its fluorescent pigments. The prerequisite for a good illuminating power is a surface uniformly primed with white matt. Re-coating with clearcoat achieves weather resistance and gloss (see page 17).

In accordance with StVZO it is not permissible at visible outside vehicle parts.



	Primer white matt	orange	red
150 ml		033 401	033 403
400 ml	233 092		233 088



	green	yellow	pink
150 ml	033 406	033 407	033 408
400 ml	233 089	233 090	233 091

Chrome-/Gold-/Copper-Effect

Auto-K Chrome-/Gold-/Copper- Effect is a fast drying acrylic paint, which is characterised by a very good coating capability, high light and temperature resistance as well as highest yield. It gives any smooth surface a metallic, silver chrome type look. The Chrome-/Gold-/Copper-Effect is weather resistant with limits, however, not abrasion-proof.

Do not coat with clear lacquer!



	Chrome- effect	Gold- effect	Copper- effect
400 ml	233 031	233 029	233 027

Brilliant metallic paint

Auto-K Brilliant-Metallic is a special fast-drying paint that allows rapid upgrading of objects made of sheet metal, metal and plastic. This high-quality brilliant metallic paint improves the appearance of painted parts lending them a special look. The product can be used indoors or outdoors. The shine and weather resistance can be enhanced if coated with a clearcoat (see page 17).



	Indy red	Le Mans blue	Imola turquoise
400 ml	233 105	233 106	233 107



	Silverstone silver	Catalunya violet
400 ml	233 110	233 111



Liquid Gum sprayable film

The peel-off sprayable film with a grip effect*

The Auto-K assortment represents innovation and quality with respect to tuning and design. This fits our new Liquid Gum product ideally. Liquid Gum sets completely new standards in the area of flexible tuning. Liquid Gum provides protection for paint and rim. In addition also for many other application areas.

Liquid Gum in use:

- Protection, decoration and design
- Ideal for wheel rims and car bodies
- Proof against stone chip damages and adhesion
- For house, handcraft and hobby
- For indoor and outdoor use
- Highly tear resistant when peeling off
- Can be painted over

* Grip effect: Non-slip function

NEW!



Ideal for cars, commercial vehicles or two-wheelers

Whether in colour or as colourless transparent surface protection out of the spray can, Auto-K Liquid Gum is equally good when visible or invisible.

Protect sensitive painted or plastic parts against dirt, mechanical loads, damage, or weathering. Great colours, strong adhesion, reliable protection.

Great colours, strong adhesion properties – and the great thing is that the reliable protective film can be removed again easily and completely at any time without causing scratches.



Anwendungsclip

Our Auto-K Liquid Gum application video with valuable suggestions, tips and tricks helps you to ensure that the application is successful. For further information visit



Versatile, also for home and garden applications

The Liquid Gum's colour and protective film is also ideal for refreshing or repairing everyday objects, lending them a completely new look.

And as soon as your colour scheme changes, the film can simply be peeled off allowing you to redesign the object. Liquid Gum allows you the freedom to put your design ideas into practice, be it to match the season or for a specific event.



Absolute freedom in terms of colour designs

Liquid Gum allows you to change the colour design as often as you want. Trendy and eye-catching colours and neon tones are available, as are neutral black or white.

Applying topcoats

The user profits from design and colour freedom thanks to the fact that conventional 1K/2K top coats and Auto-K and belton spray paints can be applied on top. This also improves the weather resistance and protects the paint.




Liquid Gum


The Liquid Gum Spray helps you to create a high-quality coating for protection, decorative or design purposes on your car or a wide range of other objects: and the clever thing is, the spray creates a paint-like protective film that can be peeled off easily at any time. New exciting design possibilities whenever you want.

Guaranteed Auto-K quality

- Simple application
- Outstanding adhesion
- Abrasion and stone chip resistant
- Non-slip surface (grip)
- For indoor and outdoor use
- Highly tear resistant when peeling off
- Can be painted over



black



white



colourless

400 ml	233 250	233 251	233 256
--------	---------	---------	---------



brilliant blue




neon pink



neon green

400 ml	233 252	233 253	233 254
--------	---------	---------	---------



neon orange

400 ml	233 255
--------	---------

Please note!



The surface always needs to be white or primed with white first before applying neon colours (green, orange, pink) and brilliant blue. This ensures that the colours develop their brightness!

We recommend applying 2 coats of Auto-K Liquid Gum white (Art. No.: 233 251). Then apply the colour shade of your choice.

The number of spray coats has an impact on the colour intensity; The more spray coats there are, the more intensive the colour result. Minimum 5 spray passes are required to achieve full hiding as well as the full tearing strength required for the peel-off procedure.

The neon colours (green, orange and pink) may change, if exposed to direct sunlight.

The spray film can be removed and painted over after a drying period of about 2 hours.

Applying top coats: Liquid Gum spray film can be painted over with max. 3 layers of all conventional 1K/2K top coats, Auto-K and belton spray paints. Additional top coat layers make it more difficult to peel off the film.





Auto-K original colours

The classic product for the paint repair

ORIGINAL colours for your vehicle! Auto-K Spray-Sets as well as Auto-K touch-up pencils represent a simple, fast and cost effective car paint repair in the respective original factory colours (e.g. LY3D VW tornado red).

Auto-K ORIGINAL paints provide weather and light resistance and have a high colour accuracy. The paint results are comparable with refinishing done by using a paint gun.

Before starting the work, please note our painting tips on page 4 as well as the application information on the can.

If you cannot find the requested colour in the Auto-K assortment, then there is certainly an optimal alternative in one of the other brands of Kwasny.

The original colour code for your car can be found on the colour code label. Depending on the manufacturer and the car model, it can be found at different parts of the carbody.

Detailed information on this subject can be found in our Colour program automotive (Art. No.: 990 710) on pages 3 and 4.

Auto-K Spray-Set

The paint shop in a can format

The success story of Peter Kwasny GmbH started with the Auto-K Spray-Set. Today, almost unchanged, the set with the practical closing cap includes 150 ml automotive paint in the original colour to spray or to speckle with the attached brush. Ideal for small or medium damages.

Please note: Some Auto-K Spray-Set colours must be re-coated with Auto-K Basic 2-coat clear lacquer (see page 17). The clearcoat for the 2-coat paints provides gloss and weather resistance.

approx. **650** Original manufacturer's colours are available.



Auto-K touch-up pencils

The fast helper: Simply "speckle"

Auto-K touch-up pencils are ideal for the simple and fast repair of smallest paint damages, for example caused by stone chips and splits. The Auto-K touch-up pencil contains 9 ml of car paint in the original colour. The Auto-K

touch-up pencil is available as a 1-coat or 2-coat paint. The 2-coat paint is offered together with the required clearcoat. The clearcoat for the 2-coat paints provides gloss and weather resistance.

approx. **300** Original manufacturer's colours are available.





This is where you find the right colour

Colour program automotive

The new Auto colour tone program (Art. No.: 990 710) now also includes the colours you require as spray paints or touch-up sticks, either in original colours or approximate colours. The information is arranged clearly according to vehicle make (e.g. Volkswagen/Audi etc.), colour code (e.g. LY3D) and colour name (e.g. Tornadorot). Also sorted according to original automobile colours are the Auto-K Spray-Set, Auto-K touch-up sticks, SprayMax for commercial users and approximate colours in the Multona program. In addition, there is a precise description of how and where to find the colour code on the vehicle.

This enables you to find the colour tone you require easily, quickly and precisely.



Digital searching made easy



Colour finder for all Kwasny product lines

To find the right colour, we recommend our colour finder tool, which we make available to you online or as a web app for mobile applications. This is where you find the right product recommendation fast and uncomplicated for your brand and your required colour.



Our Online colour search helps you for the selection of the suitable product.
www.kwasny.de/farbtonfinder

FARBTONSUCHE **HILFE** www.kwasny.de

FARBTONFINDER

Mit dem neuen Kwasny „Farbtonfinder“ ermittelt Sie über die Suche des Fahrzeugherstellers oder die Eingabe des Farbcodes einfach, schnell und zielicher Ihren Wunschfarbton. Neben Automobilfarbtönen werden auch LKW / Htz-, Bau-/Landmaschinen- sowie RAL-Farbton und weitere Hausfarben angezeigt. Die verfügbaren Farbtöne werden als Original- und Annäherungs-Farbtöne in den jeweiligen Produktlinien angezeigt.

AUTOMOBIL-FARB TÖNE

ORIGINAL-FARB TÖNE

Ein „Originalton“ ist ein farbentzelter Automobil-Werkstoffton eines bestimmten Automobil-Fabrikates, wie z.B. „VW Golf“ (Fahrzeug) mit dem Code „1A7H“. Diese Originaltöne sind unter Auto-K, einige Farbtöne unter SprayMax (für gewerbliche Anwender), erhältlich.

ANNÄHERUNGS-FARB TÖNE

Ein „Annäherungs Farbtöne“ ist kein Originalton und entspricht dem annähernd einem bestimmten Automobil-Werkstoffton oder einem anderen Farbtöne (z.B. LKW).

ZUR FARBTONSUCHE

RAL-FARB TÖNE

ORIGINAL-FARB TÖNE

Unter RAL Farbtönen finden Sie bestmögliche System- und gewerbliche Farbtöne. Sie in unterschiedlichen Bereichen zum Beispiel können: belton special und in RAL und TSS mit sowie in verschiedenen Übergrößen angeboten.

ANNÄHERUNGS-FARB TÖNE

Über dem Annäherungs-Farbtönen-System MULTONA sind nach RAL-Farbtönen, annähernd RAL, erhältlich.

ZUR FARBTONSUCHE

HILFE

Über die Eingabe des Fahrzeugherstellers und Farbtönen oder der Farbtönenbezeichnung gelangen Sie zu Ihren Auto-Originaltonen.

Eine exakte Farbtönensuche ist auf dem Farbtoncode (z.B. 1A7H für VW - Golf) möglich. Sie bei der Farbtönenbezeichnung mehrere Farbtönen/Farbtöne geben kann.

FARB TÖNE AM AUTO

Die Farbtönenbezeichnung der Automobil-Originalbezeichnung ist je nach Hersteller und Automobil, an unterschiedliche Stelle der Karosserie angegeben.

weitere Informationen auf dem Produktkatalog

FARBTONSUCHE **HILFE** www.kwasny.de

SUCHERGEBNIS

AUTOMARKE: **VOLKSWAGENAUDI**
 FARBE: **LY30**
[ZURÜCK ZUR SUCHE](#)

DIE SUCHE ERGAB 4 TREFFER:
 2 Originalfarbtöne (Auto-K, SprayMax)
 1 Annäherungs-Farbtöne (Multona)

	ORIGINALFARB TÖNE		ANNÄHERUNGSFARB TÖNE
	Auto-K	SprayMax	MULTONA
Farbe (Code)	Auto-K	SprayMax	MULTONA
Farbe (Code)	Auto-K	SprayMax	MULTONA
TORNADOROT (LY30)	2002N	2002N	0002 / 00040
	<p>* In gewerblicher Farbtönen- und 2-Sprayer-Lösung. Diese Farbe (Farbtöne) ist nicht für den privaten Gebrauch geeignet. Diese Farbe ist nicht für den privaten Gebrauch geeignet.</p>		<p>Die Farbe ist ein gewerblicher Farbtönen- und 2-Sprayer-Lösung. Diese Farbe (Farbtöne) ist nicht für den privaten Gebrauch geeignet. Diese Farbe ist nicht für den privaten Gebrauch geeignet.</p>

weitere Informationen auf dem Produktkatalog



Technical aerosols

The SprayTec assortment of technical aerosols provides everything for maintenance, protection, value conservation, cleaning and electronic start support areas. Ideal for cars, motor bikes as well as the industry, leisure, etc. areas.



Article	Characteristics	Application areas	Unit	Art. No.
Silicone Spray	Sliding, separating and care product; protects and lubricates	Universally applicable on rubber, plastics, leather, vinyl, wood, glass and metal	400 ml	235 001
Brake Cleaner Spray	Highly efficient special cleaner for all braking and coupling elements	Ideal for cleaning pipes, discs and cylinders of brakes as well as couplings and gearboxes	500 ml	235 021
Jumper Spray	For all gasoline and diesel engines; aids engine starting	Excellent for construction machines, tractors, petrol lawn mowers, motor saws, power sets, boat engines etc.	400 ml	235 010
White Grease Spray	High-class grease for long-term lubrication, protection against abrasion and corrosion	Cars: sliding roof, tow coupling, joints, camshafts, bearings etc. Others: locks, hinges, chains, cog-wheels, slide rails, caravans, boats, sunshades etc.	400 ml	235 011
Contact Cleaner Spray	Special cleaner for any electronic contact	Ideal for all electric contacts, relays, switchboards, alarm equipments, on-board computers, stereo equipment etc.	400 ml	235 002
Vaseline Spray	High-class lubrication and corrosion protection	Lubrication and protection of window and door fittings, garden tools, wood and plastic parts, antennas and metal parts	400 ml	235 012
PTFE Spray	Heavy-duty lubricant for extreme temperatures	Industrial applications like drive mechanisms, machines, engines, chain saws, bearings, drawers, instruments. Also for cars, bicycles, leisure time.	400 ml	235 030
Copper Spray	High-performance lubricant for all sliding parts which are exposed to high temperatures. Prevents squeaking of brakes.	Suitable for disc brakes, reverses of brake pads, springs, brake bolts, threads of spark plugs, screws of exhaust systems etc.	400 ml	235 040
Electro Protect Spray	Protection against grease, dirt, corrosion; protects and maintains electric contacts	Protects all electric contacts, circuits, connectors, switches	400 ml	235 003
Spray-on Glue	Universally applicable; quick and reliable	Rubber foam, plastics, leather, textiles, metals, paint-coated metals, wood, fiberglass, felt, cardboard, polyester, ceramics etc.	400 ml	235 050
Super Foam Cleaner Spray	All-round cleaner, indoors and outdoors, highly efficient	Glass, paint-coated surfaces, upholstery, chrome, china, can be used on any rubber and plastic material	500 ml	235 020
Rust Solvent Spray	Dissolves dirt and rust, loosens rusted parts	Screws, nuts, hinges etc. Cars, motorbikes, for trade and hobby	400 ml	235 013

Underbody protection

The product range includes underbody protection products, stone chip protection as well as cavity sealings. Available as a 500 ml spray for immediate processing, as a 1000 ml gun can for processing with the suction air/airless gun as well as brush paint in a brush can.



Article	Characteristics	Application areas	Unit	Art. No.
Underbody Protection Bitumen, black	Corrosion protection anti-drone effect	For underbody and wheelhouse protection of cars, trucks, caravans, boats etc.	500 ml aerosol 1000 ml can for guns	235 500 235 550
Underbody Protection Wax, light brown	Provides a strong, weather-resistant protection against rust, salt, water, ice, snow	For underbody and wheelhouse protection of cars, trucks, caravans, boats etc.	500 ml aerosol 1000 ml can for guns	235 501 235 551
Stonechip and Underbody Protection, black	Stonechip and corrosion protection, coatable with any paint system	For cars, spoilers, wings, sills etc.	500 ml aerosol 1000 ml can for guns	235 502 235 552
Stonechip and Underbody Protection, grey	Stonechip and corrosion protection, coatable with any paint system	For cars, spoilers, wings, sills etc.	500 ml aerosol 1000 ml can for guns	235 503 235 553
Cavity Sealing	For any cavity on vehicles, corrosion protection	Any cavity: spoilers, wings, sills etc.	500 ml aerosol 1000 ml can for guns	235 504 235 554
Underbody Protection Bitumen Brush-on paint, black	Corrosion protection anti-drone effect	For underbody and wheelhouse protection of cars, trucks, caravans, boats etc.	1.3 kg can for brush coating 2.5 kg can for brush coating	235 600 235 601

RACING

The price entry-level brand for construction supply and do-it-yourself stores

Racing is the price entry-level brand for construction supply and do-it-yourself stores and it includes especially high volume brands in a compact assortment. Ideal as a second alternative brand for the car department.



Colour	Unit	Art. No.
Universal primer, grey	400 ml 500 ml	288 001 288 901
Anti-Corrosion Primer	400 ml	288 058
Zinc-Alu-Spray	400 ml	288 057
2-Coat Clear Lacquer	400 ml 500 ml	288 017 288 917
Heat-resistant paint 650°C silver	400 ml	288 030
Heat-resistant paint 650°C black	400 ml	288 041
Wheel spray silver	400 ml 500 ml	288 037 288 937
Wheel spray gold	400 ml	288 038
Wheel spray white	400 ml	288 046
Wheel spray Clear Lacquer	400 ml	288 053
White gloss	400 ml 500 ml	288 004 288 904
Black gloss	400 ml 500 ml	288 005 288 905
Black satin gloss	400 ml 500 ml	288 061 288 961
Black matt	400 ml 500 ml	288 021 288 921
Red metallic	400 ml	288 110
Green metallic	400 ml	288 111
Blue metallic	400 ml	288 112
Purple metallic	400 ml	288 113
Chrome-Effect	400 ml	288 023
RAL 1015 light ivory hgl.	400 ml	288 124
RAL 1017 saffron yellow hgl.	400 ml	288 125
RAL 1021 rapeseed yellow hgl.	400 ml	288 114
RAL 1028 melon yellow hgl.	400 ml	288 126

Colour	Unit	Art. No.
RAL 2002 blood orange hgl.	400 ml	288 115
RAL 2004 pure orange hgl.	400 ml	288 127
RAL 3000 fire red hgl.	400 ml	288 116
RAL 3002 crimson hgl.	400 ml	288 128
RAL 3003 ruby red hgl.	400 ml	288 129
RAL 3005 wine red hgl.	400 ml	288 130
RAL 3020 traffic red hgl.	400 ml	288 131
RAL 4005 blue purple hgl.	400 ml	288 132
RAL 5002 ultramarine blue hgl.	400 ml	288 133
RAL 5010 gentian blue hgl.	400 ml	288 118
RAL 5012 light blue hgl.	400 ml	288 117
RAL 5013 cobalt blue hgl.	400 ml	288 134
RAL 5014 powder blue hgl.	400 ml	288 135
RAL 5015 azure hgl.	400 ml	288 136
RAL 5018 turquoise blue hgl.	400 ml	288 137
RAL 5021 water blue hgl.	400 ml	288 138
RAL 6002 leaf green hgl.	400 ml	288 119
RAL 6005 moss blue hgl.	400 ml	288 139
RAL 6011 reseda green hgl.	400 ml	288 120
RAL 6018 yellow green hgl.	400 ml	288 140
RAL 6019 white green hgl.	400 ml	288 141
RAL 7001 silver grey hgl.	400 ml	288 142
RAL 7035 light grey hgl.	400 ml	288 143
RAL 8017 chocolate brown hgl.	400 ml	288 121
RAL 9005 deep black hgl.	400 ml	288 144
RAL 9005 deep black matt	400 ml	288 145
RAL 9010 pure white hgl.	400 ml	288 146
RAL 9010 pure white matt	400 ml	288 122
Clear Lacquer matt	400 ml	288 123



The price introduction brand for the car parts specialised shop

Spraila is the price introduction brand for the specialised car shop. The compact, fast turning Spraila assortment permits simple repairs at a low price. Spraila is available in an action display and is also qualified as a decoration paint for a variety of applications.



Colour	Unit	Art. No.
Universal primer filler, grey	400 ml	300 001
	500 ml	300 901
Universal primer filler, red	400 ml	300 002
Anti-Corrosions-Primer	400 ml	300 058
2-Coat Clear Lacquer	400 ml	300 017
	500 ml	300 917
white gloss	400 ml	300 004
	500 ml	300 904
black gloss	400 ml	300 005
	500 ml	300 905
black semigloss	400 ml	300 061
black mat	400 ml	300 021
	500 ml	300 921
Heat resistant 650°C silver	400 ml	300 030
Heat resistant 650°C black	400 ml	300 041
Wheel spray silver	400 ml	300 037
	500 ml	300 937
Wheel spray gold	400 ml	300 038
Wheel spray clearcoat	400 ml	300 053
flame red RAL 3000 hgl.	400 ml	300 006

Practical accessories

Kwasny spray hand grip

Art. No.: 746 200 bulk
Art. No.: 746 202 blistered

Spray can handle for the simple and familiar handling during painting with Auto-K or other spray paint products.

Benefits:

- Easy handling that makes work simpler
- Increased painting safety
- No influencing or disturbing of the spray jet
- Handling is the same as with a paint gun



Kwasny Nozzle set

Art. No.: 746 203

Nozzle Set with a variety of nozzles for flexible use for Auto-K spray paint cans or other Kwasny spray paints.

Benefits:

- 4 different nozzles for small, medium and large surfaces
- For an increased paint safety
- The spray jet is adapted to the respective painting object or the painting requirements
- The nozzles can be re-used several times
- Contains a total of 6 nozzles



Spray width comparison


Small surfaces



Small and medium surfaces



Large surfaces



Marketing support

We support our retailers and customers with product and application tips and offer POS concepts exactly adapted to your needs. This includes marketable mounting suggestions, fast mover shelves, for an attractive POS equipment with shelf

bezels, top labels, wobblers or interactive tools. In addition, we offer frequent user and retailer trainings at our technical centre in Gundelsheim.

Application brochures

Well advised, improved sales, Beneficial tips for successful spray painting.



POS support

Fast mover shelves, top labels, shelf bezels, special displays, second placement ideas and much more.



Internet

The website for the classic Auto-K brand. Offers important information as well as tips and tricks for the successful spray painting. With colour finder. www.auto-k.de





More brands – more options

Get to know more Kwasny brands. We recommend our SprayMax System, which is also suitable for the repair of larger damages at the car, for experienced users with professional paint repair know-how. However, an approximation colour from the Multona spectrum may be well suited for

older cars or commercial vehicles as well as construction, garden and agricultural machines. And for the entire family and many applications in house and garden, we are pleased to refer to the belton paint sprays for the creative, repair and decorative use.



Paint systems for professional paint repairs

SprayMax is an aerosol coating system filled with original paints for the professional small repair. The unique SprayMax aerosol technology achieves paint results that were so far only possible when using a paint gun. Flexible, precise, cost effective

www.spraymax.com





Car spray paint close to the original colour

An approximation colour is not an original colour but it is equivalent to a certain car factory colour within narrowly defined tolerances. The Multona colour system includes a finely tuned, logically designed colour spectrum and is suitable for the easy, fast and cost effective paint repair.



- Wide colour spectrum with current colour trends in the car industry
- Ideal for truck and commercial vehicles as well as construction and agricultural machines
- Available in a variety of RAL colours and special Kwasny colours
- Ideal from small to medium paint repairs
- Also suitable for the creative and decoration area

All Multona paint sprays are 1-coat paints, which means that an overcoat with clear lacquer is not required. However, we recommend the use of Multona 2-coat clear lacquer to improve the gloss and weather resistance.



For decorative and creative spray painting

belton establishes quality standards for technologically sophisticated spray painting for the house, hobby and decoration segment. All requirements are fulfilled with maximum user friendliness, best painting results and innovative products.

The belton product family includes:

- Primers and cleaning sprays
- Paints for special applications
- RAL spray paints
- Acrylic water-based paints
- Colour paints in synthetic resin quality
- as well as flip-flop effect paints

www.belton.de





Head office of
Peter Kwasny GmbH
in Gundelsheim



In-house spray paints

"Made in Germany"

From a revolutionary idea to a leading manufacturer of spray paint cans in Europe. KWASNY is the company that stands behind the successful brands in the spray paint area.

This is not without reason as we wrote pioneering history for the European market of paint spray cans. And we still do. Every day if it is required to create innovative products and solutions for our customers all over the world, for the automotive, industry, decoration and do-it-yourself areas.

With almost 400 employees internationally, the Peter Kwasny Company group follows consistently and successfully the path of quality and technology leadership in the area of professional spray paint systems.

Welcome at Peter Kwasny GmbH!

Experience spray paints live: The newly constructed Kwasny technical centre is an idea centre for spray paints with specifically equipped paint, presentation and seminar space.



Our customer promise

We satisfy the standards of our customers through an outstanding process and know-how management, starting with research & development through production with exceptional manufacturing depth up to sophisticated logistic solutions.

The entire process chain, including the production of components such as paint and plastic parts is internally controlled and therefore our high, certified quality standards are always guaranteed.

In addition, our holistically connected way of thinking and working permits us to react flexibly to different customer requirements.

Our brands are present in many industrial branches

Paint sprays for the car and the industry



The brand for the easy and fast car paint repair



The painting system for professional paint repairs

Spray paints for around the house and for decoration



The brand for decorative and creative spray painting



THE ORIGINAL



THE WORLD OF
SPRAYPAINT

Auto-K is a brand of
Peter Kwasny GmbH

Heilbronner Str. 96
D-74831 Gundelsheim

Phone + 49 (0) 62 69 / 95-0
Fax + 49 (0) 62 69 / 95 80

info@kwasny.de
www.kwasny.com

Prod. No.: 992 300 / 05.15 Zd